# resourceful. naturally. engineering and environmental consultants



# RECEIVED

MAR 30 2012 SUPERFUND DIVISION

March 23, 2012

Mr. Jason Gunter Remedial Project Manager U.S. Environmental Protection Agency Region 7 - Superfund Branch 901 North 5<sup>th</sup> Street Kansas City, KS 66101

Re: National Mine Tailings Site Progress Report

Dear Mr. Gunter:

As required by Article VI, Section 51 of the Unilateral Administrative Order (Docket No.CERCLA-07-2006-0231) for the referenced project and on behalf of The Doe Run Company and NL Industries, Inc., the progress report for the period February 1, 2012 through February 29, 2012 is enclosed. If you have any questions or comments, please call me at 573-638-5020 or Mark Nations at 573-518-0600.

Sincerely,

Ty/L. Morris, P.E., R.G.

Vice President

TLM/jms Enclosure

c: Mark Nations - TDRC

Matt Wohl - TDRC (electronic only)

Kevin Lombardozzi - NL Industries, Inc.

John Kennedy – City of Park Hills

Norm Lucas – Park Hills – Leadington Chamber of Commerce

Kathy Rangen - MDNR

Tim Skoglund - Barr Engineering



### National Mine Tailings Site

Park Hills, Missouri

### Removal Action - Monthly Progress Report

Period: February 1, 2012 – February 29, 2012

### 1. Actions Performed and Problems Encountered This Period:

- a. Work at the site continued on the task of removing excess slope fill from the main chat pile. This work focused on removing excess slope fill to construct this area to the final subgrade elevations shown on the Construction Drawings. As of the end of the period, it is believed that work on this task has been completed. However, the top has not been surveyed to determine if any additional work is needed. The survey work will be completed during the next period.
- b. Work at the site continued on the task of stripping mine waste and contaminated soil from the Thin Tailings Area. This work focused on the area between Northing Coordinates N736750 and N739000 from the haul road to the material that was left in place over top of the sewer line along Flat River. Last period this work had been stopped as a result of the stripping activities lowering the elevations of the area to similar elevations as the process water swale that flows across the area. XRF testing indicated that the soil still had significantly elevated levels of lead. Following the testing, Doe Run submitted a request to stop stripping activities in this area to avoid constructing a large ponding area. Instead, Doe Run proposed to grade the area to drain without doing any further stripping and then covering the area with rock using the rocking scheme that is being used on the main chat pile and slopes around the site. This request was approved by the EPA project manager.

Following EPA approval, work on this area began on the task of covering the area with rock. This included placing a 6-inch layer of crushed rock filter on the graded surface and a 12-inch layer of slope riprap on top of the crushed rock filter. As of the end of the period, the portion of this area between Northing Coordinates N736750 and N738000 had been covered with this rocking scheme.

- c. Work at the site also continued on the task of modifying the southern slope of the stormwater detention basin in the West Area. This work focused on the task of installing the extension to the storm sewer outlet, finishing construction of the berm, and rocking the portions of the berm that had been verified to have been constructed to the final subgrade elevations. As of the end of the period, a majority of the southern slope had been rebuilt, the extension had been installed, and work had begun on the task of rocking the portions of this area that had been verified to have been constructed to the final subgrade elevations.
- d. Work at the site also continued on the task of designing the portion of the Piramal Glass property located west of the Lee Mechanical office building. This work focused on developing a design that will increase the capacity of the stormwater detention of the area without requiring any material to be removed from the area. As of the end of the period, work on this task is almost complete. Once this effort has been completed, the Construction Drawings will be modified and sent to EPA.
- e. Work at the site continued on the task of meeting with the landowners who may be affected by the removal action activities. This included meeting with landowners who signed an access agreement prior to April 1, 2008, which needed to be amended, as well as landowners who have not signed agreements. As of the end of the period, the following had been accomplished:

### Landowners that own property within the site boundary

Total number of landowners = 22

Landowners who signed an access agreement prior to 04/01/08 = 18

Landowners who signed an access agreement after 04/01/08 = 1

Landowners who are reviewing the access agreement = 3

Landowners who have refused to sign the access agreement = 0

Landowners who still need to be met with concerning the access agreement = 0

Total number of landowners who need to sign the amendment letter = 18

Landowners who have signed the amendment letter = 16

Landowners who are reviewing the amendment letter = 1

Landowners who refused to sign the amendment letter = 0

Landowners who still need to be met with concerning the amendment letter = 1

(Changes in the total number of landowners and the total number of landowners who need to sign the amendment letter are as a result of sales that occurred since the meetings with the landowners began.)

### Landowners that own property immediately adjacent to the site boundary

Total number of landowners = 27

Landowners who signed an access agreement prior to 04/01/08 = 11

Landowners who signed an access agreement after 04/01/08 = 6

Landowners who are reviewing the access agreement = 4

Landowners who have refused to sign the access agreement = 3

Landowners who still need to be met with concerning the access agreement = 3

Total number of landowners who need to sign the amendment letter = 11

Landowners who have signed the amendment letter = 11

Landowners who are reviewing the amendment letter = 0

Landowners who refused to sign the amendment letter = 0

Landowners who still need to be met with concerning the amendment letter = 0

(It is not anticipated that it will be a challenge to work around the property owned by the three landowners that refused to sign the access agreement based on location of the property in relationship to the work that needs to be completed. Changes in the total number of landowners and the total number of landowners who need to sign the amendment letter are as a result of sales that occurred since the meetings with the landowners began.)

### 2. Analytical Data and Results Received This Period:

a. During this period, water samples were collected at the sampling locations identified in Appendix C of the Removal Action Work Plan where water was present. Copies of the analytical results from the last sampling event are included with this progress report.

#### 3. Developments Anticipated and Work Scheduled for Next Period:

- a. Continue rocking the portion of the Thin Tailings Area between the haul road and the sewer line from Northing Coordinate N736750 to Northing Coordinate N739000.
- b. Finish removing slope fill from the top of the main chat pile.
- c. Begin rocking the top of the main chat pile.
- d. Finish installation of the extension to the City of Park Hills' stormwater pipe.
- e. Finish constructing the south slope of the stormwater detention pond in the West Area.
- f. Finish rocking the south slope of the stormwater detention pond in the West Area.
- g. Finalize the detailed design on the portion of the Piramal Glass property located west of the Lee Mechanical office building.
- h. Begin construction activities on the portion of the Piramal Glass property located west of the Lee Mechanical office building.
- i. Continue constructing the eastern buttressing slope between Northing Coordinates N737900 and N738400.
- j. Complete monthly water sampling activities as described in the Removal Action Work Plan.
- k. Complete air monitoring activities as described in the Removal Action Work Plan.
- l. Continue efforts to contact and meet with the landowners identified as potentially being affected by the removal action activities so that access agreements can be obtained.

National Mine Tailings Site - Monthly Progress Report
Period: February 1, 2012 - February 29, 2012
Page 3

- 4. Changes in Personnel:
  - a. None.
- 5. Issues or Problems Arising This Period:
  - a. None.
- 6. Resolution of Issues or Problems Arising This Period:
  - a. None.

**End of Monthly Progress Report** 



March 22, 2012

Allison Olds
Barr Engineering Company
1001 Diamond Ridge
Suite 1100
Jefferson City, MO 65109

TEL: (573) 638-5007 FAX: (573) 638-5001

**RE:** National MTS-25/86-0003

Dear Allison Olds:



Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Michael L. Austin

Project Manager

(618)344-1004 ex 16

MAustin@teklabinc.com



WorkOrder: 12021051

Page 1 of 13



## **Report Contents**

http://www.teklabinc.com/

Client Project: National MTS-25/86-0003

Report Date: 22-Mar-12

This reporting package includes the following:

Cover Letter 1
Report Contents 2
Definitions 3
Case Narrative 4
Laboratory Results 5
Sample Summary 6

13

Sample Summary 6
Dates Report 7
Quality Control Results 8

Receiving Check List

Chain of Custody Appended



### **Definitions**

http://www.teklabinc.com/

Client: Barr Engineering Company Work Order: 12021051

Client Project: National MTS-25/86-0003 Report Date: 22-Mar-12

#### Abbr Definition

- CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.
- DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilutions factors.
- DNI Did not ignite
- DUP Laboratory duplicate is an aliquot of a sample taken from the same container under laboratory conditions for independent processing and analysis independently of the original aliquot.
- ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.
- IDPH IL Dept. of Public Health
- LCS Laboratory control sample, spiked with verified known amounts of analytes, is analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system. The acceptable recovery range is in the QC Package (provided upon request).
- LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
  - MB Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.
- MDL Method detection limit means the minimum concentration of a substance that can be measured and reported with 99% confidence that the analyte concentration is greater than zero and is determined from analysis of a sample in a given matrix type containing the analyte.
- MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).
- MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
- MW Molecular weight
- ND Not Detected at the Reporting Limit

### NELAP NELAP Accredited

- PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions. The acceptable recovery range is listed in the QC Package (provided upon request).
- RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.
- RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).
- SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.
- Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.
- TNTC Too numerous to count ( > 200 CFU )

#### Qualifiers

- # Unknown hydrocarbon
- E Value above quantitation range
- M Manual Integration used to determine area response
- R RPD outside accepted recovery limits
- X Value exceeds Maximum Contaminant Level

- B Analyte detected in associated Method Blank
- H Holding times exceeded
- ND Not Detected at the Reporting Limit
- S Spike Recovery outside recovery limits



### **Case Narrative**

http://www.teklabinc.com/

Client: Barr Engineering Company

Client Project: National MTS-25/86-0003

Work Order: 12021051 Report Date: 22-Mar-12

Cooler Receipt Temp: 1.4 °C

This report was revised on 03/22/2012 per Erin Dietrich's request. The reason for the revision is correct the Method Blanks for Sulfate and TDS on the QC report. Please replace report dated 03/01/2012 with this report. MLA 03/22/2012

### Locations and Accreditations

	Collinsville			Springfield			Kansas City		
Address	5445 Horseshoe Lake Road	•	Address	3920 Pintail Dr		Address	8421 Nieman Road		
	Collinsville, IL 62234-7425			Springfield, IL 627	11-9415		Lenexa, KS 66214		
Phone	(618) 344-1004	I	Phone	(217) 698-1004		Phone	(913) 541-1998		
Fax	x (618) 344-1005		Fax	(217) 698-1005		Fax	(913) 541-1998		
Email	jhriley@teklabinc.com	I	Email	kmcclain@teklabin	c.com	Email	dthompson@teklabinc.com		
State		Dept		Cert#	NELAP	Exp Date	Lab		
Illinois		IEPA	-	100226	NELAP	1/31/2013	Collinsville		
Kansas	3	KDHE		E-10374	NELAP	1/31/2013	Collinsville		
Louisia	ana	LDEQ		166493	NELAP	6/30/2012	Collinsville		
Louisia	ana	LDEQ		166578	NELAP	6/30/2012	Springfield		
Arkans	as	ADEQ		88-0966		3/14/2012	Collinsville		
Illinois		IDPH		17584		4/30/2012	Collinsville		
Kentuc	ky	UST		0073		5/26/2012	Collinsville		
Missou	rri	MDNR		00930		4/13/2013	Collinsville		
Oklaho		ODEO		9978		8/31/2012	Collinsville		



### **Laboratory Results**

http://www.teklabinc.com/

Client: Barr Engineering Company

Work Order: 12021051

Client Project: National MTS-25/86-0003

Report Date: 22-Mar-12

Lab ID: 12021051-001

Client Sample ID: Nat-East

Matrix: AQUEOUS

Collection Date: 02/23/2012 12:30

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Batch
EPA 600 375.2 REV 2.0 1993	(TOTAL)	2 0 1 1 2				4		
Sulfate	NELAP	100	-2	226	mg/L	10	02/29/2012 17:57	R160599
STANDARD METHOD 18TH	ED. 4500-H B, LABOR	ATORY AN	ALYZED		\$ 148 a	24		Afr
Lab pH	NELAP	1.00		8.14		1	02/24/2012 11:57	R160332
STANDARD METHODS 18TH	HED. 2340 C	4 4	\$100 mg			4,487		
Hardness, as ( CaCO3 )	NELAP	5		500	mg/L	1	02/24/2012 14:25	R160324
STANDARD METHODS 18TH	H ED. 2540 C (TOTAL)							
Total Dissolved Solids	NELAP	20		636	mg/L	1	02/27/2012 15:04	R160476
STANDARD METHODS 18TH	H ED. 2540 D			55-3.6815-7.53		ACTION		
Total Suspended Solids	NELAP	6	R	6	mg/L	1	02/27/2012 8:52	R160430
% RPD was outside the QC limits the PQL, the results are considered					ng/L or less a	nd have a	difference of no greate	r than
STANDARD METHODS 18TH	1 ED. 2540 F							
Solids, Settleable	NELAP	0.1		< 0.1	ml/L	1	02/24/2012 11:51	R160354
STANDARD METHODS 18TH	HED. 5310 C, ORGANI	C CARBON						
Total Organic Carbon (TOC)	NELAP	1.0		1.1	mg/L	1	02/24/2012 17:49	R160383
EPA 600 4.1.1, 200.7R4.4, MI	ETALS BY ICP (DISSO	LVED)						44
Cadmium	NELAP	2.00		< 2.00	μg/L	1	02/25/2012 0:31	75468
Zinc	NELAP	10.0		72.0	μg/L	1	02/25/2012 0:31	75468
EPA 600 4.1.4, 200.7R4.4, MI	ETALS BY ICP (TOTAL	_)				11.344.5		
Cadmium	NELAP	2.00		< 2.00	μg/L	1	02/27/2012 11:33	75482
Zinc	NELAP	10.0		93.8	µg/L	1	02/27/2012 11:33	75482
STANDARD METHODS 18TH	I ED. 3030 B, 3113 B,	METALS BY	GFAA (I	DISSOLVED)		A STATE		The service of
			X	16.3	µg/L	1	02/28/2012 10:59	75467
Lead	NELAP	2.00	^	10.5	P3'-		02/20/20 12 10:00	
The state of the s	SOURCE OF STREET, STRE	THE RESERVE AND ADDRESS OF THE PARTY.	- The September Service Service			3.588783	SAME AND LOCATION	



# Sample Summary

http://www.teklabinc.com/

Client: Barr Engineering Company

Work Order: 12021051

Client Project: National MTS-25/86-0003

Lab Sample ID	Client Sample ID	Matrix	Fractions	Collection Date
12021051-001	Nat-East	Aqueous	5	02/23/2012 12:30



Client: Barr Engineering Company

Client Project: National MTS-25/86-0003

# **Dates Report**

http://www.teklabinc.com/

Work Order: 12021051

Sample ID	Client Sample ID	Collection Date	Received Date	
	Test Name	See as a Kristinia little and the Marie of Marie	Prep Date/Time	Analysis Date/Time
12021051-001A	Nat-East Nat-East	02/23/2012 12:30	2/24/2012 9:41:00 AM	
	Standard Methods 18th Ed. 2540 F	SA PER PARTIES CONTROL OF THE PROPERTY OF THE PROPERTY OF THE PARTIES OF THE PART		02/24/2012 11:51
12021051-001B	Nat-East	02/23/2012 12:30	2/24/2012 9:41:00 AM	
	EPA 600 375.2 Rev 2.0 1993 (Total)			02/29/2012 17:57
	Standard Method 18th Ed. 4500-H B, Laboratory Analyz	zed		02/24/2012 11:57
	Standard Methods 18th Ed. 2340 C			02/24/2012 14:25
	Standard Methods 18th Ed. 2540 C (Total)			02/27/2012 15:04
	Standard Methods 18th Ed. 2540 D			02/27/2012 8:52
12021051-001C	Nat-East Nat-East	02/23/2012 12:30	2/24/2012 9:41:00 AM	
ige transit apparations.	EPA 600 4.1.4, 200.7R4.4, Metals by ICP (Total)		02/24/2012 17:41	02/27/2012 11:33
	Standard Methods 18th Ed. 3030 E, 3113 B, Metals by G	FAA	02/24/2012 11:03	02/27/2012 18:41
12021051-001D	Nat-East	02/23/2012 12:30	2/24/2012 9:41:00 AM	
TO SECURE MANUFERING	EPA 600 4.1.1, 200.7R4.4, Metals by ICP (Dissolved)		02/24/2012 13:24	02/25/2012 0:31
	Standard Methods 18th Ed. 3030 B, 3113 B, Metals by G	02/24/2012 13:23	02/28/2012 10:59	
12021051-001E	Nat-East	02/23/2012 12:30	2/24/2012 9:41:00 AM	
AP SHIP TO BE SOME STATE	Standard Methods 18th Ed. 5310 C, Organic Carbon	menter province and constructive and the graph of the	・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	02/24/2012 17:49



http://www.teklabinc.com/

Client: Barr Engineering Company

Work Order: 12021051

Client Project: National MTS-25/86-0003

EPA 600 375.2 RE	V 2.0 1993 (	TOTAL	)	23.82		4 4 14					A STATE OF THE STATE OF
Batch R160547 SampID: MBLK	SampType:			Units mg/L						L. D. A. L.	Date
Analyses			RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Sulfate			75		< 75						02/29/2012
Sulfate			75		< 75						02/28/2012
Batch R160547 SampID: LCS	SampType:	LCS		Units mg/L			4.6				Date
Analyses		222	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit		Analyzed
Sulfate			75		139	150	0	92.9	90	110	02/28/2012
Sulfate			75		139	150	0	92.7	90	110	02/29/2012
Batch R160599 SampID: ICB/MBLK	SampType:	MBLK		Units mg/L						128	Date
Analyses			RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Sulfate			10		< 10						02/29/2012
Batch R160599 SampID: ICV/LCS	SampType:	LCS	F 94.	Units mg/L			The Att	βΣ;	A CONTRACTOR	- 176 - 19 	Date
Analyses			RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Sulfate			10		20	20	0	101.3	90	110	02/29/2012
Batch R160599 SampID: 12021051-	SampType: 001B MS	MS		Units mg/L				442			Date
Analyses			RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Sulfate			100		328	100	225.6	102.0	85	115	02/29/2012
Batch R160599 SampID: 12021051-		MSD		Units mg/L		7 7 9			RPD	Limit 10	Date
Analyses			RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref \	/al %RPD	Analyzed
Sulfate			100		337	100	225.6	111.0	327.6	2.72	02/29/2012
STANDARD METH	OD 18TH ED	D. 4500-	H B, LA	BORATORY	NALYZE	D					
Batch R160332 SamplD: LCS	SampType:	LCS		Units							Date
Analyses			RL	Qual			SPK Ref Val		Low Limit	High Limit	Analyzed
Lab pH			1.00		6.98	7.00	0	99.7	99.1	100.8	02/24/2012
Batch R160332 SamplD: 12021051-0	SampType: 001BDUP	DUP	spect.	Units					RPD	Limit 10	Date
Analyses			RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref \	al %RPD	Analyzed
Lab pH			1.00		8.18				8.140	0.49	02/24/2012



http://www.teklabinc.com/

Client: Barr Engineering Company

Work Order: 12021051

Client Project: National MTS-25/86-0003

STANDARD METHODS 18TH	ED. 2340 C	网络克莱 经工作			<b>的数据的关键。</b>				Service Sanday
Batch R160324 SampType: SampID: MB-R160324	MBLK	Units mg/L							Date
Analyses	RL	Oual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Hardness, as ( CaCO3 )	5		< 5						02/24/2012
Batch R160324 SampType:	LCS	Units mg/L							
SampID: LCS-R160324 Analyses	RL	Oual	Decult	Snika	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Hardness, as ( CaCO3 )	, KL		1000	1000	0	100.0	90	110	02/24/2012
Batch R160324 SampType:	MS	Units mg/L				A. S. S. S.			
SampID: 12021051-001BMS			D 1	<b>~</b> "	CDV Def Vel	W DEC	L avv. L imsit	Lliah I imit	Date Analyzed
Analyses Hardness, as ( CaCO3 )	RL 5	Qual	Result 880	400	SPK Ref Val	95.0	85	High Limit 115	02/24/2012
Batch R160324 SampType:	MSD	Units mg/L				7 B	RPD	Limit 10	
SampID: 12021051-001BMSD		if agents	_ 10			i di Babasa	RPD Ref Val %RPD		Date Analyzed
Analyses	RL	Qual	Result		SPK Ref Val	CONTRACT :			
Hardness, as ( CaCO3 )	5		900	400	500.0	100.0	880.0	2.25	02/24/2012
STANDARD METHODS 18TH	ED. 2540 C (TO	COLUMN PROSESSION AND CONTROL OF A A TANK		极陷					
Batch R160476 SampType: SampID: MBLK	MBLK	Units mg/L							Date
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Total Dissolved Solids	20		< 20					12 18 18 18 18 18 18 18 18 18 18 18 18 18	02/27/2012
Total Dissolved Solids	20		< 20						02/27/2012
Total Dissolved Solids	20		< 20						02/27/2012
Batch R160476 SampType:	LCS	Units mg/L		. '					
SampID: LCS	-	0.1		a 11	SPK Ref Val	W DEC	Low Limit	High Limit	Date Analyzed
Analyses Total Dissolved Solids	RL 20	Qual	Result 1030	1000	0	103.2	90	110	02/27/2012
Batch R160476 SampType: SampID: LCSQC	LCSQC	Units mg/L							Date
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Total Dissolved Solids	20		980	1000	0	98.0	90	110	02/27/2012
Total Dissolved Solids	20		986	1000	0	98.6	90	110	02/27/2012
Batch R160476 SampType: SampID: 12021051-001B MS	MS	Units mg/L			<del></del>				Date
Analyses	RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed



http://www.teklabinc.com/

Client: Barr Engineering Company

Work Order: 12021051

Client Project: National MTS-25/86-0003

STANDARD METHO	DS 18TH I	ED. 254	OC (TO	TAL)		14 247	100 Page 18 18 18 18 18 18 18 18 18 18 18 18 18			L. Dates	
Batch R160476 S	ampType:	MSD		Units mg/L					RPD	Limit 15	
SampID: 12021051-00	1B MSD										Date
Analyses		de P	RL ·	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref	Val %RPD	Analyzed
Total Dissolved Solid	s	20			1140	500	636.0	100.8	1146	0.52	02/27/2012
STANDARD METHOI	DS 18TH I	ED. 254	0 D		<b>第4</b> 3		The second				
Batch R160430 SamplD: MBLK	ampType:	MBLK		Units mg/L							Date
Analyses			RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Total Suspended Soli	ds		6		< 6						02/27/2012
Batch R160430 SamplD: LCS	ampType:	LCS		Units mg/L							Date
Analyses			RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Total Suspended Soli	ds		6		92	100	0	92.0	85	115	02/27/2012
Total Suspended Soli	ds		6		94	100	0	94.0	85	115	02/27/2012
Total Suspended Solid	ds		6		95	100	0	95.0	85	115	02/27/2012
<b>Batch R160430 SampType:</b> SampID: 12021051-001B DUP		DUP		Units mg/L					RPD	Limit 15	Date
Analyses			RL	Qual	Result	Snike	SPK Ref Val	%REC	RPD Ref \	/al %RPD	Analyzed
Total Suspended Solid	ds		6	R	9	Opike			6.000	40.00	02/27/2012
STANDARD METHOD	)S 18TH F	D 531	OC OR	GANIC CARB	ON						
CONTRACTOR DESIGNATION OF THE PROPERTY OF THE	трТуре:	CONTRACTOR		Units mg/L							Date
Analyses			RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Total Organic Carbon	(TOC)		1.0		< 1.0						02/24/2012
Batch R160383 Sa SamplD: ICV/LCS	mpType:	LCS		Units mg/L	71.7						Date
Analyses			RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Total Organic Carbon	(TOC)		5.0		48.6	48.2	0	100.8	89.6	109.5	02/24/2012
EPA 600 4.1.1, 200.7F	24.4, MET	ALS BY	(ICP (D	ISSOLVED)							<b>建设加州亚</b> 亚州
	mpType:	THE RESERVE OF THE PARTY OF THE		Units µg/L							Date
			RL	Qual	Result		SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Analyses			2.00		< 2.00	2.00	0	0	-100	100	02/25/2012
Cadmium			2.00								
			2.00		< 2.00	2.00	0	0	-100	100	02/25/2012
Cadmium					< 2.00 < 10.0	2.00 10.0		0 0	-100 -100	100 100	02/25/2012 02/25/2012



http://www.teklabinc.com/

Client: Barr Engineering Company

Work Order: 12021051

Client Project: National MTS-25/86-0003

Batch 75468 SamplD: LCS-7546	SampType:	LCS		Units µg/L							Date
Analyses			RL	Qual	Result	Snike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Cadmium			2.00	- Cum	47.6	50.0	0	95.2	85	115	02/28/2012
Cadmium			2.00		48.6	50.0	0	97.2	85	115	02/25/2012
Zinc			10.0		504	500	0	100.8	85	115	02/25/2012
Zinc			10.0		468	500	0	93.5	85	115	02/25/2012
Batch 75468 SamplD: 1202105	SampType: 1-001DMS	MS		Units µg/L		£ ,					Date
Analyses			RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Cadmium			2.00	V	40.7	50.0	0.3	80.8	75	125	02/25/2012
Zinc			10.0		533	500	72	92.2	75	125	02/25/2012
Batch 75468 SamplD: 12021051	SampType: 1-001DMSD	MSD		Units µg/L					RPD	Limit 20	Date
Analyses			RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref	/al %RPD	Analyzed
Cadmium			2.00		40.7	50.0	0.3	80.8	40.7	0.00	02/25/2012
Zinc			10.0		537	500	72	93.0	532.9	0.79	02/25/2012
EPA 600 4.1.4, 20 Batch 75482	SampType:	CONTRACTOR VALUE VALUE	ICP (T	OTAL) Units µg/L		and the second					e de la soni
SampID: MB-75483 Analyses	2		RL	Qual	Result	Snike	SPK Ref Val	%REC	Low Limit	High Limit	Date Analyzed
Cadmium			2.00	Quai	< 2.00	2.00	0	0	-100	100	02/27/2012
Zinc			10.0		< 10.0	10.0	0	0	-100	100	02/27/2012
Batch 75482	SampType:	LCS		Units µg/L	h <sub>e</sub>					-	7.5
SampID: LCS-7548	82										Date
Analyses			RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Analyses Cadmium	Silver de la	· · · · · · · · · · · · · · · · · · ·	RL 2.00	Qual	Result 50.5	Spike 50.0	SPK Ref Val	%REC 101.0	Low Limit 85	High Limit	02/27/2012
	mainth at ending			Qual				April Control			
Cadmium	SampType: 1-001CMS		2.00	Qual Units µg/L	50.5	50.0	0	101.0	85	115	02/27/2012 02/27/2012 Date
Cadmium Zinc Batch 75482	and the second of the second o	MS	2.00		50.5	50.0 500	0	101.0 103.7	85 85	115	02/27/2012 02/27/2012
Cadmium Zinc  Batch 75482  SampID: 12021051	and the second of the second o	MS	2.00	Units µg/L	50.5 518	50.0 500 Spike	0 0 SPK Ref Val	101.0 103.7	85 85	115 115	02/27/2012 02/27/2012 Date
Cadmium Zinc  Batch 75482  SampID: 12021051  Analyses	and the second of the second o	MS	2.00 10.0	Units µg/L	50.5 518 Result	50.0 500 Spike	0 0 SPK Ref Val	101.0 103.7 %REC	85 85 Low Limit	115 115 High Limit	02/27/2012 02/27/2012 Date Analyzed
Cadmium Zinc  Batch 75482 SampID: 12021051 Analyses Cadmium	1-001CMS SampType:	MS	2.00 10.0 RL 2.00	Units µg/L	50.5 518 Result 47.2	50.0 500 Spike 50.0	0 0 SPK Ref Val	101.0 103.7 %REC 93.4	85 85 Low Limit 75 75	115 115 High Limit 125	02/27/2012 02/27/2012 Date Analyzed 02/27/2012 02/27/2012
Cadmium Zinc  Batch 75482 SampID: 12021051 Analyses Cadmium Zinc  Batch 75482 SampID: 12021051	1-001CMS SampType:	MS	2.00 10.0 RL 2.00 10.0	Units µg/L  Qual  Units µg/L	50.5 518 Result 47.2 570	50.0 500 Spike 50.0 500	0 0 SPK Ref Val 0.5 93.8	101.0 103.7 %REC 93.4 95.3	85 85 Low Limit 75 75	115 115 High Limit 125 125	02/27/2012 02/27/2012 Date Analyzed
Cadmium Zinc  Batch 75482 SamplD: 12021051 Analyses Cadmium Zinc  Batch 75482	1-001CMS SampType:	MS	2.00 10.0 RL 2.00	Units µg/L Qual	50.5 518 Result 47.2 570	50.0 500 Spike 50.0 500	0 0 SPK Ref Val 0.5 93.8	101.0 103.7 %REC 93.4 95.3	85 85 Low Limit 75 75	115 115 High Limit 125 125	02/27/2012 02/27/2012 Date Analyzed 02/27/2012 02/27/2012



http://www.teklabinc.com/

Client: Barr Engineering Company

Work Order: 12021051

Client Project: National MTS-25/86-0003

			distribution of the last of th	13 B, METALS	Committee of the Commit			District Co. No.	250.34的,放	DESCRIPTION OF THE PARTY OF THE	
Batch 75467 SamplD: MB-75467	SampType:	MBLK		Units µg/L							Date
Analyses			RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead			2.00		< 2.00	2.00	0	0	-100	100	02/28/2012
Batch 75467 SamplD: LCS-75467	SampType:	LCS		Units µg/L			Sales (All All				Date
Analyses			RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead			2.00		14.2	15.0	0	94.4	85	115	02/28/2012
<b>Batch 75467</b> S SamplD: 12021051-00	SampType: 01DMS	MS		Units µg/L							Date
Analyses			RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead	7 - 179		2.00		29.8	15.0	16.2822	89.9	70	130	02/28/2012
Batch 75467 S SamplD: 12021051-00	SampType:	MSD		Units µg/L					RPD Limit 20		Date
Analyses			RL	Oual	Result	Spike	SPK Ref Val	%REC	RPD Ref \	/al %RPD	Analyzed
Lead			2.00		29.3	15.0	16.2822	86.7	29.772	1.63	02/28/2012
STANDARD METHO	DS 18TH E	D. 303	0 E, 311	3 B, METALS	BY GFAA						
CARREL CONTROL OF THE PROPERTY	ampType:	153864207535		Units µg/L							Date
Analyses			RL	Qual	Result	Spike	SPK Ref Val	%REC	Low Limit	High Limit	Analyzed
Lead			10.0		68.7	15.0	58.139	70.6	70	130	02/27/2012
Batch 75447 S	ampType:	MSD	7.7-3	Units µg/L		Net .	1.5 30.5		RPD	Limit 20	
SampID: 12021051-00	1CMSD										Date
Analyses			RL	Qual	Result	Spike	SPK Ref Val	%REC	RPD Ref V	/al %RPD	Analyzed
Lead			10.0		73.7	15.0	58.139	104.1	68.732	7.04	02/27/2012



Custody seal(s) intact on shipping container/cooler. RS 2/24/12

# **Receiving Check List**

http://www.teklabinc.com/

Client: Barr Engineering Company			Wo	rk O	rder: 12021	051
Client Project: National MTS-25/86-0003			Re	port I	Date: 22-Ma	r-12
Carrier: Rick Schmidt		ved By: EAF	,	,/	0	
Completed by: On: 24-Feb-12 Timothy W. Mathis	o	eh-12	Elizabeth A. Hurley		ley. 	
Pages to follow: Chain of custody 1	Extra pages included	0				
Shipping container/cooler in good condition?	Yes 🗹	No 🗌	Not Present		Temp °C	1.4
Type of thermal preservation?	None 🔲	Ice 🗹	Blue Ice		Dry Ice	
Chain of custody present?	Yes 🗹	No 📙				
Chain of custody signed when relinquished and received?	Yes 👱	No 🗌				
Chain of custody agrees with sample labels?	Yes 🗹	No 🖳				
Samples in proper container/bottle?	Yes 🗹	No 🔲				
Sample containers intact?	Yes 🗹	No 🖳				
Sufficient sample volume for indicated test?	Yes 🗹	No 🔲				
All samples received within holding time?	Yes 🗹	No 🔲				
Reported field parameters measured:	Field 🗌	Lab 🗹	NA			
Container/Temp Blank temperature in compliance?	Yes 🗹	No 🗆	_			
When thermal preservation is required, samples are compliantly 0.1°C - 6.0°C, or when samples are received on ice the same		between				
Water - at least one vial per sample has zero headspace?	Yes 🗆	No 🗆	No VOA vials	$\checkmark$		
Water - TOX containers have zero headspace?	Yes 🗌	No 🗌	No TOX containers	<b>✓</b>		
Water - pH acceptable upon receipt?	Yes 🗹	No 🗆				
Any No responses	must be detailed below	or on the C	OC.			

# Propincial

### **Teklab Chain of Custody**

Pg. 1 of 1 Workorder 130 21051

5445 Horseshoe Lake Road ~ Collinsville, IL 62234 ~ Phone: (618)344-1004 ~ Fax:(618)344-1005 Are the samples chilled? • Yes O No with: • Ice O Blue ice Barr Engineering Co. . 4 Sampler Chris Schulte 1001 Diamond Ridge, Suite 1100 Cooler Temp 65109 Jefferson City MO Invoice to Mark Nations. Results to Allison Olds and Mark Nations, mnations@doerun.com custody Seal intact upon pickup Comments Matrix is surface water. National MTS - 25/86-0003 Metals = Cd, Pb, Zn Contact Allison Olds aolds@barr.com eMail Phone 573-638-5007 Requested Due Date Standard Billing/PO Per contract with Doe Run Dissolved Metals Settleable Solids Total Dissolved Solids **Fotal Metals** Hardness Lab Use Sample ID Sample Date/Time Preservative Matrix 12021002 Unpres 5  $\boxtimes$ X  $\boxtimes$ X  $\times$ X $\boxtimes$ Nat-East Aqueous 12:30 Aqueous Unpres Unpres Aqueous Aqueous Unpres Unpres Aqueous Unpres Aqueous Unpres Aqueous Unpres Aqueous Date/Time Date/Time Relinquished By \* Received By Hoit 8:19 9:41

<sup>\*</sup> The individual signing this agreement on behalf of client acknowledges that they have read and understand the terms of this agreement and that they have the authority to sign on behalf of client.